## ThinkVision P27h-20 61E9GAT6EU

Product

ThinkVision P27h-20

Machine Type 61E9

Region EMEA

Display Size

*View Area* 596.74x335.66 mm

Panel In-Plane Switching

Aspect Ratio 16:9

**Resolution** 2560x1440

*Pixel Pitch* 0.2331x0.2331 mm

Dot / Pixel Per Inch 109 dpi

View Angle (H / V) 178 / 178

Pixel Response Time 4 ms (Extreme mode) / 6 ms (Normal mode)

**Refresh Rate** 60 Hz

Brightness 350 nits

Contrast Ratio 1000:1

Color Gamut 99% sRGB, 99% BT.709, 85% DCI-P3

Multiple Input HDMI, DP, DP-out, USB Type-C Gen1(DP1.2 Alt Mode)

**USB Port** 4 x USB 3.1 Gen1 (1 x BC1.2)

Camera None

Speaker 1W x 2

Power Consumption (Typical / Maximum) 27W / 150W

Power Adapter Integrated

Stand Tilt, Swivel, Pivot, Height Adjust Stand

Color Raven Black Side Bezel Width 2 mm

Dimensions with Stand (HxWxD) 576.5x613.8x208 mm

Weight (Including Stand) 16.17lb / 7.35kg

Monitor Cable USB type C to C

**ENERGY STAR** Yes

**TCO** 8.0

**EPEAT** Silver

Low Blue Light / Eye Comfort / Eyesafe Display Eye Comfort

Base Warranty 3-year

**Operating System** Support Windows 7, Windows 10

Presets / User Settings 21 / 20

On Screen Display OSD, 8 Languages

Sync Technology None

CPU / Platform None / None

Display Ram / Storage / Card Slot None / None / None

Wireless / Ethernet / Bluetooth None / Yes (10M/100M/1000M) / None

Touch Screen / Digitizer Pen / Battery None / None / None

**Announce Date** 2020-03-04

### L WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.

#### https://psref.lenovo.com

## PSREF PI

Visit psref website for the latest version of Product specifications Reference. © Lenovo, 2021. All rights reserved.



## ThinkVision P27h-20 Monitor

# **Specifications**

#### DISPLAY

Panel Size 27-inch

Screen Dimensions 596.74 mm x 335.66 mm

Panel Type 4-side NearEdgeless In-Plane Switching

Backlight WLED

Aspect Ratio 16:9

**Resolution** 2560 x 1440

**Pixel Pitch** 0.2331 x 0.2331 mm

**Dot/Pixel Per Inch (DPI/PPI)** 109

**Viewing Angle (H x V @ CR 10:1)** 178° / 178°

**Response Time** 4ms (extreme mode) 6ms (normal mode)

**Refresh Rate** 60 Hz

Brightness (typical) 350 cd/m<sup>2</sup>

**Contrast Ratio (typical)** 1000:1

**Dynamic Contrast Ratio (typical)** 3M:1

**Color Gamut** 99% sRGB, 99% BT.709, 85% DCI-P3

**Color Support (typical)** 16.7 Million

Processor LUT 8-bit

**Anti-glare** Yes

#### CONNECTIVITY

Video Signal 1 x USB Type-C Gen1 (DP1.2 Alt Mode) 1 x HDMI 1.4 1 x DP 1.2 1 x DP 1.2 (Out)

#### **MULTI-MEDIA**

Integrated Speakers Yes (2 x 1W)

**Optional Soundbar Support** Yes (PN 0A36190)

#### SPECIAL FEATURES

Factory Calibration Yes (Avg. Delta E<2)

**Software** Yes (ThinkColor 2.0)<sup>1</sup>

#### POWER

Power Consumption (typ./max.) 27W / 150W

Power Consumption Sleep/Off Mode < 0.5W

Power Consumption Switch-off Mode < 0.3W

ENERGY STAR Power Consumption (P<sub>on</sub>/E<sub>TEC</sub>) 19W / 61kWh

Power Supply Internal

USB Type-C Power Delivery (W) up to 90 W<sup>2</sup>

Smart Power<sup>3</sup> Yes

Voltage Required AC 100 to 240 V (50-60 Hz)

#### **MECHANICAL**

Tilt Angle (front/back) -5° / 35°

Swivel Angle (left/right) +45°/ -45°

Lift (max range) 135 mm

**Pivot** -90° / 90°

VESA Mount Capability Yes (100 x 100 mm)

Kensington Lock Slot Yes Size Unpacked w/ Stand (D x H x W, mm/inch) (lowest position) 208 x 441.5 x 613.8 mm 8.19 x 17.38 x 27.17 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (highest position) 208 x 576.5 x 613.8 mm 8.19 x 22.70 x 27.17 inches

**Size Unpacked w/o Stand (head only)** (D x H x W, mm/inch) 46.9 x 353.8 x 613.8 mm 1.85 x 13.92 x 27.17 inches

Min. Distance from Table to Panel (lowest pixel at bottom of screen, mm) 97.3 mm

Max. Distance from Table to Panel (highest pixel at top of screen, mm) 567.9 mm

Weight Packed (kg/lbs.) 9.55 kg / 21.01 lbs.

Weight Unpacked (kg/lbs.) 7.35 kg / 16.17 lbs.

Weight (monitor head only) (kg/lbs.) 4.87 kg / 10.71 lbs.

Full Container Load (40' STD / 20' STD) 792 / 352 units

#### WHAT'S IN THE BOX

Monitor with stand 1 x Power cable (1.8 m) 1 x DP cable (1.8 m) (NA only) 1 x USB Type-C to Type-C cable (1.8 m) 1 x USB Type-C to Type-A cable (1.8 m) (NA only) Factory calibration report Quick setup guide

#### CERTIFICATION

ENERGY STAR Rating 8.0 CCC Yes TCO 8.0

**TCO Edge** 2.0

EPEAT Silver

RoHS (EU 2002/95/EC)

Audio Signal 1 x Audio Out (3.5 mm)

**USB Hub** Yes

Ethernet Yes (10M/100M/1000M)

USB Upstream 1 x USB 3.1 Gen1 (by USB Type-C Gen1)

USB Downstream 4 x USB 3.1 Gen1 (1 x BC1.2) Cable Management Yes

**Bezel Color** Raven Black

Bezel Width (side) 2.0 mm

Bezel Width (top/bottom) 2.0 / 2.0 mm

#### DIMENSION

**Size Packed (D x H x W, mm/inch)** 182 x 463 x 722 mm 7.17 x 18.23 x 28.43 inches Yes

Windows Certification Windows 7, Windows 10

China Energy Efficiency Standard Tier 1

**TÜV Rheinland Eye Comfort** Yes



<sup>1</sup>This software can only be used with Windows 10

<sup>2</sup>Listed as maximum capacity of power delivery. Actual capacity may vary depending upon devices connected or monitor configuration, and may decline with downstream USB ports connected or higher brightness setting.

<sup>3</sup>The Smart Power function intelligently detects overall power consumption and dynamically manages the power delivery to each device. Get up to 90 W\* of power delivery through the USB Type-C cable with the Smart Power function.

© 2020 Lenovo. All rights reserved. Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: - 5 Gbit/s for USB 3.1 Gen1; 10 Gbit/s for USB 3.1 Gen2 & 20 Gbit/s for USB 3.2. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic errors. Warranty, the Lenovo Jogo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, and ThinkVision are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

#### www.lenovo.com

## ThinkVision P27h-20











